
LEADING THE WAY TO BAKING PERFECTION








DECKOVENS





DIGITAL CONTROLLER





LIVE STEAM SYSTEM





MODELS SHOWN MAY INCLUDE OPTIONAL EXTRAS







- Top and bottom heats of our patented heating system can be varied independently to ensure a perfect heat distribution
- Each deck is an independent oven. The decks can operate at different temperatures giving you the flexibility to bake different products at the same time.
- All our models are available with 1 to 5 decks and optional crown heights.
- The Galaxy and Big Bake ovens have two doors per deck to ensure the minimum of heat loss when product is added or removed from the oven.
- The digital control system allows you to set baking time, baking temperature, top heat and bottom heat
- Completion of the baking cycle is indicated with both a visible and audible alarm
- The patented, fully insulated doors reduce heat loss and operating costs
- All our ovens are mounted on castors for easy installation and maintenance
- Windows are available as an option
- There is the option of two steam systems including our patented 'live' steam system
- Our ovens are virtually maintenance free



OVENS SPECIFICATIONS

	DECKS	AVG KW RATING	AVG Amp/ph	TRAY CAPACITY	680g Loaves	OVERALL WIDTH	OVERALL DEPTH	OVERALL HEIGHT
SOLITAIRE	1	4	5.6	1 x 18"	6	1350	780	1435
SOLITAIRE	2	8	11.1	2 x 18"	12	1350	780	1730
8	3	12	16.7	2 x 18"	12	1350	780	1820
	3 4	12	22.2	4 x 18"	24	1350	780	1950
		20	27.8	4 x 18 5 x 18"	30	1350	780	2195
	5		11.9	2 x 18"	18	1500	1185	1435
SPACE SAVER	1	8.6			36	1500	1185	1730
	2	17.2	23.9	4 x 18"				1820
	3	25.8	35.8	6 x 18"	54	1500	1185	
	4	34.4	47.8	8 x 18"	72	1500	1185	1950
	5	43	59.7	10 x 18"	90	1500	1185	2195
COMPACT 316	1	9	12.5	3 x 16"	24	1780	1185	1435
	2	18	25	6 x 16"	48	1780	1185	1730
	3	27	37.5	9 x 16"	72	1780	1185	1820
	4	36	50	12 x 16"	96	1780	1185	1950
	5	45	62.5	15 x 16"	120	1780	1185	2195
COMPACT 318	1	9.2	12.8	3 x 18"	24	1940	1185	1435
	2	18.4	25.6	6 x 18"	48	1940	1185	1730
	3	27.6	38.3	9 x 18"	72	1940	1185	1820
	4	36.8	51.1	12 x 18"	96	1940	1185	1950
	5	46	63.9	15 x 18"	120	1940	1185	2195
GALAXY 16	1	12.3	17.1	4 x 16"	30	2220	1185	1435
	2	24.6	34.2	8 x 16"	60	2220	1185	1730
	3	36.9	51.3	12 x 16"	90	2220	1185	1820
	4	49.2	68.3	16 x 16"	120	2220	1185	1950
	5	61.5	85.4	20 x 16"	150	2220	1185	2195
GALAXY 18	1	12.4	17.2	4 x 18"	36	2450	1185	1435
	2	24.8	34.4	8 x 18"	72	2450	1185	1730
	3	37.2	51.7	12 x 18"	108	2450	1185	1820
	4	49.6	68.9	16 x 18"	144	2450	1185	1950
	5	62	86.1	20 x 18"	180	2450	1185	2195
BIG BAKE	1	17.3	24	6 x 16"	48	3060	1185	1435
	2	34.6	48.1	12 x 16"	96	3060	1185	1730
	3	51.9	72.1	18 x 16"	144	3060	1185	1820
	4	69.2	96.1	24 x 16"	192	3060	1185	1950
	5	86.5	120.1	30 x 16"	240	3060	1185	2195
	J	00.0	120.1	00 × 10	240	5000	1105	2135

Individual Electronic Controls for each Deck Patented Heating System Ensures an Even Bake Designed and Manufactured in Australia All Electrical Components protected by Circuit Breakers Steam can be fitted to one or more Decks Oven sizes make excellent use of valuable Floor Space Oven insulated with 100mm of High Temperature Rockwool Patented Fully Insulated Sealed Doors 2 year warranty on Oven 5 year warranty on Heating Elements Tiles can be fitted to one or more Decks Optional Crown Heights - High and Low Optional Windows in Doors Full Stainless Steel Front

Electrical Connection – 3 phase + neutral + earth. Specifications subject to change without notice.